


POOL COPING DETAILS	PAGE #
CLASSIC POOL COPING - GENERAL DETAILS	2
CLASSIC POOL COPING DETAILS	3
CLASSIC POOL COPING RADIUS DETAILS	4
CLASSIC POOL COPING OUTSIDE RADIUS	5
CLASSIC POOL COPING INSIDE RADIUS	6
MODERN POOL COPING	7
SONORASTONE® POOL COPING - GENERAL DETAILS	8
SONORASTONE® POOL COPING DETAILS	9
SONORASTONE® POOL COPING RADIUS DETAILS	10
SONORASTONE® POOL COPING RADIUS DETAILS	11
SQUARE MODULAR POOL COPING - STRAIGHT	12-14
SQUARE MODULAR POOL COPING - CORNER	15
SOUARE MODULAR POOL COPING - RADIUS DETAILS	16

Page 1




NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP WITH SMOOTH BULLNOSE. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 2





NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP WITH SMOOTH BULLNOSE. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 3






NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP WITH SMOOTH BULLNOSE. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 4






NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP WITH SMOOTH BULLNOSE. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 5




NOTES:


- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP WITH SMOOTH BULLNOSE. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 6



SECTION



24" STRAIGHT

BULLNOSE: 1 SIDE THICKNESS: 2" SIZE: 18" x 24"

BULLNOSE: 1 SIDE THICKNESS: 2"

SIZE: 18" x 18"

BULLNOSE: 2 SIDES THICKNESS: 2" SIZE: 18" x 18" JOINS W/ STRAIGHT PIECES TO FORM OUTSIDE CORNERS.


NOTES:


- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLED TOP AND BULLNOSE FINISH. SANDBLAST FINISH ON TOP AND NOSE OPTION.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 7








NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICES.
- 3. SONORASTONE® FINISH ON TOP AND SIDES.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 8




NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICES.
- 3. SONORASTONE[®] FINISH ON TOP AND SIDES.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 9




NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICES.
- 3. SONORASTONE® FINISH ON TOP AND SIDES.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 10




NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICES.
- 3. SONORASTONE® FINISH ON TOP AND SIDES.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 11






NOTES

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP AND SIDES. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 12





NOTES


- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP AND SIDES. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.

SQUARE MODULAR POOL COPING 16X36X2 1/2

SCALE: N.T.S.

Page 13






- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP AND SIDES. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 14




NOTES


- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. STIPPLE FINISH ON TOP AND SIDES. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.


SQUARE MODULAR POOL COPING CORNER 16X16X2 1/2 SCALE: N.T.S.

Page 15









THICKNESS: 22"

INSIDE RADIUS:	OUTSIDE RADIUS:	OUTSIDE LENGTH:
8"	2"	37 <u>1</u> "
32"	4"	24 7 "
56"	6"	22 3 "
80"	8"	24 7 "

NOTES:

- 1. PRECAST UNITS ARE INDIVIDUALLY HAND CAST. LENGTHS ARE APPROXIMATE. SOME VARIATIONS ARE EXPECTED.
- 2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH GENERALLY ACCEPTED MASONRY PRACTICE.
- 3. SMOOTH FINISH ON TOP. SANDBLAST FINISH AVAILABLE.
- 4. PRECAST UNITS MAY BE CUT TO FIT FIELD CONDITIONS.



Page 16